

EVIO Labs Eugene
1686 Pearl Street, Eugene, OR 97401
541-505-9193 / OLCC 010-10035420314 / www.EVIOLabs.com

CO2 Extract

Octo Consulting

AG-R1044757IHH

Sample ID: E180164-01

METRC Batch #: n/a

Matrix: Extract/Concentrate

Date Sampled: 04/02/18 09:00

Date Accepted: 04/02/18

Results Valid Until: 04/02/19

Batch ID: B2018RF1

Batch Size: 6991 g

Sampling Method/SOP: SOP.T.20.010

Pesticides

Date/Time Extracted: 04/04/18 09:05

Date/Time Analyzed: 4/6/2018 5:04:52AM

Analysis Method/SOP: SOP.T.30.060

Analyte	LOQ	Action Level	Result	Field Dup Result	Units	Type
Abamectin	0.250	0.5	< LOQ	< LOQ	ppm	
Acephate	0.200	0.4	< LOQ	< LOQ	ppm	Organophosphate insecticide
Acequinocyl	1.00	2	< LOQ	< LOQ	ppm	
Acetamiprid	0.200	0.2	< LOQ	< LOQ	ppm	Neonicotinoid insecticide
Aldicarb	0.200	0.4	< LOQ	< LOQ	ppm	Carbamate insecticide
Azoxystrobin	0.200	0.2	< LOQ	< LOQ	ppm	
Bifenazate	0.200	0.2	< LOQ	< LOQ	ppm	Unclassified insecticide
Bifenthrin	0.200	0.2	< LOQ	< LOQ	ppm	
Boscalid	0.200	0.4	< LOQ	< LOQ	ppm	Anilide fungicide
Carbaryl	0.200	0.2	< LOQ	< LOQ	ppm	Carbamate insecticide
Carbofuran	0.200	0.2	< LOQ	< LOQ	ppm	Carbamate insecticide
Chlorantraniliprole	0.200	0.2	< LOQ	< LOQ	ppm	Anthranilic diamide insecticide
Chlorfenapyr	0.500	1	< LOQ	< LOQ	ppm	Pyrazole insecticide
Chlorpyrifos	0.200	0.2	< LOQ	< LOQ	ppm	Organophosphate insecticide
Clofentezine	0.200	0.2	< LOQ	< LOQ	ppm	
Cyfluthrin	0.500	1	< LOQ	< LOQ	ppm	
Cypermethrin	0.500	1	< LOQ	< LOQ	ppm	
Daminozide	0.500	1	< LOQ	< LOQ	ppm	
DDVP (Dichlorvos)	0.500	1	< LOQ	< LOQ	ppm	
Diazinon	0.200	0.2	< LOQ	< LOQ	ppm	Organophosphate insecticide
Dimethoate	0.200	0.2	< LOQ	< LOQ	ppm	
Ethoprophos	0.200	0.2	< LOQ	< LOQ	ppm	
Etofenprox	0.200	0.4	< LOQ	< LOQ	ppm	
Etoxazole	0.200	0.2	< LOQ	< LOQ	ppm	Unclassified miticide
Fenoxycarb	0.200	0.2	< LOQ	< LOQ	ppm	
Fenpyroximate	0.200	0.4	< LOQ	< LOQ	ppm	
Fipronil	0.200	0.4	< LOQ	< LOQ	ppm	Pyrazole insecticide
Fonicamid	0.500	1	< LOQ	< LOQ	ppm	Pyridinecarboxamide insecticide
Fludioxonil	0.200	0.4	< LOQ	< LOQ	ppm	non-systemic fungicide
Hexythiazox	0.500	1	< LOQ	< LOQ	ppm	
Imazalil	0.200	0.2	< LOQ	< LOQ	ppm	Azole fungicide
Imidacloprid	0.200	0.4	< LOQ	< LOQ	ppm	Neonicotinoid insecticide
Kresoxim-methyl	0.200	0.4	< LOQ	< LOQ	ppm	
Malathion	0.200	0.2	< LOQ	< LOQ	ppm	
Metalaxyl	0.200	0.2	< LOQ	< LOQ	ppm	

Ellen Parkin
 Laboratory Director - 4/13/2018

EVIO Labs Eugene
1686 Pearl Street, Eugene, OR 97401
541-505-9193 / OLCC 010-10035420314 / www.EVIOLabs.com

CO2 Extract

Octo Consulting
AG-R1044757IHH

Sample ID: E180164-01

METRC Batch #: n/a

Matrix: Extract/Concentrate

Date Sampled: 04/02/18 09:00

Date Accepted: 04/02/18

Results Valid Until: 04/02/19

Batch ID: B2018RF1

Batch Size: 6991 g

Sampling Method/SOP: SOP.T.20.010

Pesticides

Date/Time Extracted: 04/04/18 09:05

Date/Time Analyzed: 4/6/2018 5:04:52AM

Analysis Method/SOP: SOP.T.30.060

Analyte	LOQ	Action Level	Result	Field Dup Result	Units	Type
Methiocarb	0.200	0.2	< LOQ	< LOQ	ppm	Carbamate insecticide
Methomyl	0.200	0.4	< LOQ	< LOQ	ppm	Carbamate insecticide
Methyl parathion	0.200	0.2	< LOQ	< LOQ	ppm	
MGK-264	0.200	0.2	< LOQ	< LOQ	ppm	
Myclobutanil	0.200	0.2	< LOQ	< LOQ	ppm	Azole fungicide
Naled	0.250	0.5	< LOQ	< LOQ	ppm	
Oxamyl	0.500	1	< LOQ	< LOQ	ppm	Carbamate insecticide
Paclobutrazol	0.200	0.4	< LOQ	< LOQ	ppm	Azole plant growth regulator
Permethrins	0.200	0.2	< LOQ	< LOQ	ppm	
Phosmet	0.200	0.2	< LOQ	< LOQ	ppm	Organophosphate insecticide
Piperonyl butoxide	1.00	2	< LOQ	< LOQ	ppm	
Prallethrin	0.200	0.2	< LOQ	< LOQ	ppm	
Propiconazole	0.200	0.4	< LOQ	< LOQ	ppm	
Propoxur	0.200	0.2	< LOQ	< LOQ	ppm	Carbamate insecticide
Pyrethrins	0.500	1	< LOQ	< LOQ	ppm	
Pyridaben	0.200	0.2	< LOQ	< LOQ	ppm	Unclassified insecticide
Spinosad	0.200	0.2	< LOQ	< LOQ	ppm	Spinosyn insecticide
Spiromesifen	0.200	0.2	< LOQ	< LOQ	ppm	Keto-enol insecticide
Spirotetramat	0.200	0.2	< LOQ	< LOQ	ppm	Keto-enol insecticide
Spiroxamine	0.200	0.4	< LOQ	< LOQ	ppm	Unclassified fungicide
Tebuconazole	0.200	0.4	< LOQ	< LOQ	ppm	
Thiacloprid	0.200	0.2	< LOQ	< LOQ	ppm	
Thiamethoxam	0.200	0.2	< LOQ	< LOQ	ppm	Neonicotinoid insecticide
Trifloxystrobin	0.200	0.2	< LOQ	< LOQ	ppm	Strobin fungicide

<LOQ: Result is below the Limit of Quantitation (LOQ) - Compound Not Detected

Results above the action level fail Oregon state testing requirements and will be highlighted RED.

Pesticide testing performed in conjunction with EVIO Labs Medford, an ORELAP and ISO 17025 accredited laboratory.

Ellen Parkin
 Laboratory Director - 4/13/2018

EVIO Labs Eugene
 1686 Pearl Street, Eugene, OR 97401
 541-505-9193 / OLCC 010-10035420314 / www.EVIOLabs.com

CO2 Extract

Octo Consulting

AG-R1044757IHH

Sample ID: E180164-01 **METRC Batch #: n/a**

Matrix: Extract/Concentrate

Date Sampled: 04/02/18 09:00

Date Accepted: 04/02/18

Results Valid Until: 04/02/19

Batch ID: B2018RF1

Batch Size: 6991 g

Sampling Method/SOP: SOP.T.20.010

Residual Solvents

Analyte	LOQ	Action Level	Result	Field Dup Result	RPD	Units
Butanes	250	5000 ³	< LOQ	< LOQ	NA	ppm
n-Butane	250	5000	< LOQ	< LOQ	NA	ppm
iso-Butane	250	5000	< LOQ	< LOQ	NA	ppm
Hexanes	174	290 ⁴	< LOQ	< LOQ	NA	ppm
n-Hexane	174	290	< LOQ	< LOQ	NA	ppm
2-Methylpentane	174	290	< LOQ	< LOQ	NA	ppm
3-Methylpentane	174	290	< LOQ	< LOQ	NA	ppm
2,2-Dimethylbutane	174	290	< LOQ	< LOQ	NA	ppm
2,3-Dimethylbutane	174	290	< LOQ	< LOQ	NA	ppm
Pentanes	1400	5000 ⁵	< LOQ	< LOQ	NA	ppm
n-Pentane	1400	5000	< LOQ	< LOQ	NA	ppm
iso-Pentane	1400	5000	< LOQ	< LOQ	NA	ppm
Neopentane	250	5000	< LOQ	< LOQ	NA	ppm
Xylenes	1300	2170	< LOQ	< LOQ	NA	ppm
1,2-Dimethylbenzene	1300	2170	< LOQ	< LOQ	NA	ppm
1,3-Dimethylbenzene	1300	2170	< LOQ	< LOQ	NA	ppm
1,4-Dimethylbenzene	1300	2170	< LOQ	< LOQ	NA	ppm
Xylenes MP	1300	2170	< LOQ	< LOQ	NA	ppm
Ethyl benzene	1300	NA	< LOQ	< LOQ	NA	ppm
2-Propanol (IPA)	1400	5000	< LOQ	< LOQ	NA	ppm
Acetone	1400	5000	< LOQ	< LOQ	NA	ppm
Acetonitrile	246	410	< LOQ	< LOQ	NA	ppm
Benzene	1.20	2	< LOQ	< LOQ	NA	ppm
Methanol	1000	3000	< LOQ	< LOQ	NA	ppm
Propane	250	5000	< LOQ	< LOQ	NA	ppm
Toluene	534	890	< LOQ	< LOQ	NA	ppm
Dichloromethane	360	600	< LOQ	< LOQ	NA	ppm
1,4-Dioxane	228	380	< LOQ	< LOQ	NA	ppm
2-Butanol	1400	5000	< LOQ	< LOQ	NA	ppm
2-Ethoxyethanol	96.0	160	< LOQ	< LOQ	NA	ppm
Cumene	42.0	70	< LOQ	< LOQ	NA	ppm
Cyclohexane	2280	3880	< LOQ	< LOQ	NA	ppm
Ethyl acetate	1400	5000	< LOQ	< LOQ	NA	ppm
Ethyl ether	1400	5000	< LOQ	< LOQ	NA	ppm
Ethylene glycol	372	620	< LOQ	< LOQ	NA	ppm
Ethylene oxide	30.0	50	< LOQ	< LOQ	NA	ppm
Heptane	1400	5000	< LOQ	< LOQ	NA	ppm
Isopropyl acetate	1400	5000	< LOQ	< LOQ	NA	ppm
Tetrahydrofuran	432	720	< LOQ	< LOQ	NA	ppm

Date/Time Extracted: 04/02/18 17:26

Date/Time Analyzed: 04/04/18 18:45

Analysis Method/SOP: SOP.T.40.030

3 - Total butanes are calculated as sum of n-butanenes (CAS# 106-97-8) and iso-butane (CAS# 75-28-5)

4 - Total hexanes are calculated as sum of n-hexane (CAS# 110-54-3), 2-methylpentane (CAS# 107-83-5), 3-methylpentane (CAS# 96-14-0), 2,2-dimethylbutane (CAS# 75-83-2), 2,3-dimethylbutane (CAS# 79-29-8)

5 - Total pentanes are calculated as sum of n-pentane (CAS# 109-66-0), iso-pentane (CAS# 78-78-4), and neo-pentane (CAS# 463-82-1)

6 - Total xylenes are calculated as 1,2-dimethylbenzene (CAS# 95-47-6), 1,3-dimethylbenzene (CAS# 106-42-3), and 1-4-dimethylbenzene (CAS# 106-42-3)

<LOQ: Result is below the Limit of Quantitation (LOQ) - Compound Not Detected Results above the action level fail Oregon state testing requirements and will be highlighted **RED**.

Ellen Parkin
Laboratory Director - 4/13/2018

EVIO Labs Eugene
1686 Pearl Street, Eugene, OR 97401
541-505-9193 / OLCC 010-10035420314 / www.EVIOLabs.com

Quality Control

Batch: E18D003 - SOP.T.40.030 Solvents

Blank(E18D003-BLK1)			Extracted: 04/02/18 17:26		Analyzed: 04/04/18 18:45		
Analyte	Result	LOQ	Recovery Limits	Analyte	Result	LOQ	Recovery Limits
Butanes	< LOQ	250 (ppm)	< LOQ	n-Butane	< LOQ	250 (ppm)	< LOQ
iso-Butane	< LOQ	250 (ppm)	< LOQ	Hexanes	< LOQ	174 (ppm)	< LOQ
n-Hexane	< LOQ	174 (ppm)	< LOQ	2-Methylpentane	< LOQ	174 (ppm)	< LOQ
3-Methylpentane	< LOQ	174 (ppm)	< LOQ	2,2-Dimethylbutane	< LOQ	174 (ppm)	< LOQ
2,3-Dimethylbutane	< LOQ	174 (ppm)	< LOQ	Pentanes	< LOQ	1400 (ppm)	< LOQ
n-Pentane	< LOQ	1400 (ppm)	< LOQ	iso-Pentane	< LOQ	1400 (ppm)	< LOQ
Neopentane	< LOQ	250 (ppm)	< LOQ	Xylenes	< LOQ	1300 (ppm)	< LOQ
1,2-Dimethylbenzene	< LOQ	1300 (ppm)	< LOQ	1,3-Dimethylbenzene	< LOQ	1300 (ppm)	< LOQ
1,4-Dimethylbenzene	< LOQ	1300 (ppm)	< LOQ	Xylenes MP	< LOQ	1300 (ppm)	< LOQ
Ethyl benzene	< LOQ	1300 (ppm)	< LOQ	2-Propanol (IPA)	< LOQ	1400 (ppm)	< LOQ
Acetone	< LOQ	1400 (ppm)	< LOQ	Acetonitrile	< LOQ	246 (ppm)	< LOQ
Benzene	< LOQ	1.20 (ppm)	< LOQ	Methanol	< LOQ	1000 (ppm)	< LOQ
Propane	< LOQ	250 (ppm)	< LOQ	Toluene	< LOQ	534 (ppm)	< LOQ
Dichloromethane	< LOQ	360 (ppm)	< LOQ	1,4-Dioxane	< LOQ	228 (ppm)	< LOQ
2-Butanol	< LOQ	1400 (ppm)	< LOQ	2-Ethoxyethanol	< LOQ	96.0 (ppm)	< LOQ
Cumene	< LOQ	42.0 (ppm)	< LOQ	Cyclohexane	< LOQ	2280 (ppm)	< LOQ
Ethyl acetate	< LOQ	1400 (ppm)	< LOQ	Ethyl ether	< LOQ	1400 (ppm)	< LOQ
Ethylene glycol	< LOQ	372 (ppm)	< LOQ	Ethylene oxide	< LOQ	30.0 (ppm)	< LOQ
Heptane	< LOQ	1400 (ppm)	< LOQ	Isopropyl acetate	< LOQ	1400 (ppm)	< LOQ
Tetrahydrofuran	< LOQ	432 (ppm)	< LOQ				

LCS(E18D003-BS1)			Extracted: 04/02/18 17:26		Analyzed: 04/04/18 18:45		
Analyte	% Recovery	LOQ	Recovery Limits	Analyte	% Recovery	LOQ	Recovery Limits
Butanes		250 (ppm)	0-200	n-Butane	67.4	250 (ppm)	50-150
iso-Butane	67.3	250 (ppm)	50-150	Hexanes		174 (ppm)	0-200
n-Hexane	72.0	174 (ppm)	70-130	2-Methylpentane	70.6	174 (ppm)	70-130
3-Methylpentane	71.2	174 (ppm)	70-130	2,2-Dimethylbutane	71.7	174 (ppm)	70-130
2,3-Dimethylbutane	75.6	174 (ppm)	70-130	Pentanes		1400 (ppm)	0-200
n-Pentane	70.2	1400 (ppm)	70-130	iso-Pentane	69.6	1400 (ppm)	70-130
Neopentane	70.4	250 (ppm)	50-150	Xylenes		1300 (ppm)	0-200
1,2-Dimethylbenzene	68.5	1300 (ppm)	70-130	1,3-Dimethylbenzene	70.8	1300 (ppm)	70-130
1,4-Dimethylbenzene	70.8	1300 (ppm)	70-130	Xylenes MP		1300 (ppm)	0-200
2-Propanol (IPA)	74.3	1400 (ppm)	70-130	Acetone	74.6	1400 (ppm)	70-130
Acetonitrile	72.0	246 (ppm)	70-130	Benzene	74.2	1.20 (ppm)	70-130
Methanol	70.8	1000 (ppm)	70-130	Toluene	73.5	534 (ppm)	70-130
Dichloromethane	76.5	360 (ppm)	70-130	1,4-Dioxane	73.0	228 (ppm)	70-130
2-Butanol	73.2	1400 (ppm)	70-130	2-Ethoxyethanol	72.1	96.0 (ppm)	70-130

Ellen Parkin
 Laboratory Director - 4/13/2018

EVIO Labs Eugene
1686 Pearl Street, Eugene, OR 97401
541-505-9193 / OLCC 010-10035420314 / www.EVIOLabs.com

Quality Control

Batch: E18D003 - SOP.T.40.030 Solvents (Continued)

LCS(E18D003-BS1)			Extracted: 04/02/18 17:26		Analyzed: 04/04/18 18:45		
Analyte	% Recovery	LOQ	Recovery Limits	Analyte	% Recovery	LOQ	Recovery Limits
Cumene	65.2	42.0 (ppm)	50-150	Cyclohexane	70.9	2280 (ppm)	70-130
Ethyl acetate	74.5	1400 (ppm)	70-130	Ethyl ether	73.2	1400 (ppm)	70-130
Ethylene glycol	70.5	372 (ppm)	70-130	Ethylene oxide	69.1	30.0 (ppm)	50-150
Heptane	73.1	1400 (ppm)	70-130	Isopropyl acetate	75.0	1400 (ppm)	70-130
Tetrahydrofuran	72.4	432 (ppm)	70-130				

Batch: M18D010 - SOP.T.30.061 Pesticide Prep

Blank(M18D010-BLK1)			Extracted: 04/04/18 09:05		Analyzed: 04/05/18 21:12		
Analyte	Result	LOQ	Recovery Limits	Analyte	Result	LOQ	Recovery Limits
Cyfluthrin	< LOQ	0.500 (ppm)	< LOQ	Cypermethrin	< LOQ	0.500 (ppm)	< LOQ
MGK-264	< LOQ	0.200 (ppm)	< LOQ	Chlorfenapyr	< LOQ	0.500 (ppm)	< LOQ
Methyl parathion	< LOQ	0.200 (ppm)	< LOQ	Acequinocyl	< LOQ	1.00 (ppm)	< LOQ
Bifenthrin	< LOQ	0.200 (ppm)	< LOQ	Acephate	< LOQ	0.200 (ppm)	< LOQ
Abamectin	< LOQ	0.250 (ppm)	< LOQ	Acetamiprid	< LOQ	0.200 (ppm)	< LOQ
Aldicarb	< LOQ	0.200 (ppm)	< LOQ	Azoxystrobin	< LOQ	0.200 (ppm)	< LOQ
Bifenazate	< LOQ	0.200 (ppm)	< LOQ	Boscalid	< LOQ	0.200 (ppm)	< LOQ
Carbaryl	< LOQ	0.200 (ppm)	< LOQ	Carbofuran	< LOQ	0.200 (ppm)	< LOQ
Chlorantraniliprole	< LOQ	0.200 (ppm)	< LOQ	Chlorpyrifos	< LOQ	0.200 (ppm)	< LOQ
Clofentezine	< LOQ	0.200 (ppm)	< LOQ	Daminozide	< LOQ	0.500 (ppm)	< LOQ
DDVP (Dichlorvos)	< LOQ	0.500 (ppm)	< LOQ	Diazinon	< LOQ	0.200 (ppm)	< LOQ
Dimethoate	< LOQ	0.200 (ppm)	< LOQ	Ethoprophos	< LOQ	0.200 (ppm)	< LOQ
Etofenprox	< LOQ	0.200 (ppm)	< LOQ	Etoxazole	< LOQ	0.200 (ppm)	< LOQ
Fenoxycarb	< LOQ	0.200 (ppm)	< LOQ	Fenpyroximate	< LOQ	0.200 (ppm)	< LOQ
Fipronil	< LOQ	0.200 (ppm)	< LOQ	Fonicamid	< LOQ	0.500 (ppm)	< LOQ
Fludioxonil	< LOQ	0.200 (ppm)	< LOQ	Hexythiazox	< LOQ	0.500 (ppm)	< LOQ
Imazalil	< LOQ	0.200 (ppm)	< LOQ	Imidacloprid	< LOQ	0.200 (ppm)	< LOQ
Kresoxim-methyl	< LOQ	0.200 (ppm)	< LOQ	Malathion	< LOQ	0.200 (ppm)	< LOQ
Metalaxyl	< LOQ	0.200 (ppm)	< LOQ	Methiocarb	< LOQ	0.200 (ppm)	< LOQ
Methomyl	< LOQ	0.200 (ppm)	< LOQ	Myclobutanil	< LOQ	0.200 (ppm)	< LOQ
Naled	< LOQ	0.250 (ppm)	< LOQ	Oxamyl	< LOQ	0.500 (ppm)	< LOQ
Paclbutrazol	< LOQ	0.200 (ppm)	< LOQ	Permethrins	< LOQ	0.200 (ppm)	< LOQ
Phosmet	< LOQ	0.200 (ppm)	< LOQ	Piperonyl butoxide	< LOQ	1.00 (ppm)	< LOQ
Prallethrin	< LOQ	0.200 (ppm)	< LOQ	Propiconazole	< LOQ	0.200 (ppm)	< LOQ
Propoxur	< LOQ	0.200 (ppm)	< LOQ	Pyrethrins	< LOQ	0.500 (ppm)	< LOQ
Pyridaben	< LOQ	0.200 (ppm)	< LOQ	Spinosad	< LOQ	0.200 (ppm)	< LOQ
Spiromesifen	< LOQ	0.200 (ppm)	< LOQ	Spirotetramat	< LOQ	0.200 (ppm)	< LOQ
Spiroxamine	< LOQ	0.200 (ppm)	< LOQ	Tebuconazole	< LOQ	0.200 (ppm)	< LOQ

Ellen Parkin
 Laboratory Director - 4/13/2018

EVIO Labs Eugene
1686 Pearl Street, Eugene, OR 97401
541-505-9193 / OLCC 010-10035420314 / www.EVIOLabs.com

Quality Control

Batch: M18D010 - SOP.T.30.061 Pesticide Prep (Continued)

Blank(M18D010-BLK1)			Extracted: 04/04/18 09:05		Analyzed: 04/05/18 21:12		
Analyte	Result	LOQ	Recovery Limits	Analyte	Result	LOQ	Recovery Limits
Thiacloprid	< LOQ	0.200 (ppm)	< LOQ	Thiamethoxam	< LOQ	0.200 (ppm)	< LOQ
Trifloxystrobin	< LOQ	0.200 (ppm)	< LOQ				

LCS(M18D010-BS1)			Extracted: 04/04/18 09:05		Analyzed: 04/05/18 22:46		
Analyte	% Recovery	LOQ	Recovery Limits	Analyte	% Recovery	LOQ	Recovery Limits
Cyfluthrin	85.4	0.500 (ppm)	30-170	Cypermethrin	81.7	0.500 (ppm)	30-170
MGK-264	111	0.200 (ppm)	30-170	Chlorfenapyr	97.3	0.500 (ppm)	30-170
Methyl parathion	156	0.200 (ppm)	30-170	Bifenthrin	95.1	0.200 (ppm)	30-170
Acephate	129	0.200 (ppm)	30-170	Abamectin	26.2	0.250 (ppm)	30-170
Acetamiprid	136	0.200 (ppm)	30-170	Aldicarb	57.6	0.200 (ppm)	30-170
Azoxystrobin	102	0.200 (ppm)	30-170	Bifenazate	97.5	0.200 (ppm)	30-170
Boscalid	113	0.200 (ppm)	30-170	Carbaryl	118	0.200 (ppm)	30-170
Carbofuran	125	0.200 (ppm)	30-170	Chlorantraniliprole	63.3	0.200 (ppm)	30-170
Chlorpyrifos	68.8	0.200 (ppm)	30-170	Clofentezine	29.3	0.200 (ppm)	30-170
DDVP (Dichlorvos)	144	0.500 (ppm)	30-170	Diazinon	104	0.200 (ppm)	30-170
Dimethoate	126	0.200 (ppm)	30-170	Ethoprophos	105	0.200 (ppm)	30-170
Etofenprox	66.3	0.200 (ppm)	30-170	Etoxazole	85.7	0.200 (ppm)	30-170
Fenoxycarb	104	0.200 (ppm)	30-170	Fenpyroximate	46.9	0.200 (ppm)	30-170
Fipronil	134	0.200 (ppm)	30-170	Flonicamid	207	0.500 (ppm)	30-170
Fludioxonil	99.6	0.200 (ppm)	30-170	Hexythiazox	106	0.500 (ppm)	30-170
Imazalil	95.5	0.200 (ppm)	30-170	Imidacloprid	139	0.200 (ppm)	30-170
Kresoxim-methyl	115	0.200 (ppm)	30-170	Malathion	120	0.200 (ppm)	30-170
Metalaxyl	131	0.200 (ppm)	30-170	Methiocarb	129	0.200 (ppm)	30-170
Methomyl	125	0.200 (ppm)	30-170	Myclobutanil	116	0.200 (ppm)	30-170
Naled	129	0.250 (ppm)	30-170	Oxamyl	130	0.500 (ppm)	30-170
Paclobutrazol	118	0.200 (ppm)	30-170	Permethrins	85.9	0.200 (ppm)	30-170
Phosmet	75.9	0.200 (ppm)	30-170	Piperonyl butoxide	86.1	1.00 (ppm)	30-170
Prallethrin	123	0.200 (ppm)	30-170	Propiconazole	111	0.200 (ppm)	30-170
Propoxur	133	0.200 (ppm)	30-170	Pyrethrins	104	0.500 (ppm)	30-170
Pyridaben	101	0.200 (ppm)	30-170	Spinosad	67.7	0.200 (ppm)	30-170
Spiromesifen	35.5	0.200 (ppm)	30-170	Spirotetramat	109	0.200 (ppm)	30-170
Spiroxamine	101	0.200 (ppm)	30-170	Tebuconazole	99.7	0.200 (ppm)	30-170
Thiacloprid	105	0.200 (ppm)	30-170	Thiamethoxam	149	0.200 (ppm)	30-170
Trifloxystrobin	104	0.200 (ppm)	30-170				

Ellen Parkin
 Laboratory Director - 4/13/2018